



Low Bay Fixtures 20 - 35cm

	<p>Pendant Light 32cm PC E27</p>	<p>With acrylic reflector. For lamp max. 100 watt. LP-12PC-AC</p>
	<p>Pendant Light 32cm PC, MH E27 70W</p>	<p>Lamp shade 320 mm, transparent structurized polycarbonate. Hanging light with ceiling cap made of silver PVC plastic. Adjustable height max. 220 cm. Light distribution: 94° To use with E27 lamp max. 100 watt. Protection degree IP20 Weight: 0,9 kg</p>
	<p>Pendant Light Reflector 32cm, MH E27 150W, PC</p>	<p>Energy saving, with polycarbonate reflector. 70W metal halide = as bright as 300 w halogen light. LP-12PC-B-7 Lampshade 320 mm, light-transparent. Integrated ballast and igniter for metal halide lamp 70W E27 or G12. Lamp to be ordered separately. Since the screen is open at the bottom, bulbs must be used with splinter protection (order separately) Gray with 165cm cable and ceiling canopy. The special price applies only to the G12 version, while supplies last. Weight: 4,2 kg</p>
	<p>Pendant Light Reflector 32cm, MH E27 150W, PC</p>	<p>Energy saving, with polycarbonate reflector. 150 W metal halide = as bright as 550 w halogen light. LP-12PC-B-H1 Lampshade 320 mm, light-transparent. Integrated ballast for metal halide lamp 150W E27. Since the screen is open at the bottom, bulbs must be used with splinter protection (sold separately) Gray with 165cm cable and ceiling canopy. Weight: 4,5 kg</p>

Accessories for indoor lights

	<p>Acrylic Diffusor Glass for pendant light 32 cm LP-12Z-01</p>
---	---

Low Bay Fixtures 20 - 35cm

	<p>Pendant Reflector Light Factory Style Enamel</p>	<p>Nostalgic designed hanging light fixture for bar or jeans-shop etc. With large enamel reflector 40cm. LP-39</p>
	<p>Pendant Reflector Light Factory Style Enamel</p>	<p>Porcelain lamp holder E27 Suitable for lamps, which require no ballast, max. 250 watts. For eg. incandescent bulbs, energy saver or LED lamps. The lamp shade is weather-resistant coated. Black outside, white inside. The cable must be connected as required. Pls. order cable and lamp extra. Weight: 17 kg</p>

High-Bay Fixtures 38 - 60cm

	Pendant light 40cm PC MH 70W	<p>Polycarbonate + metal case. Energy saving, 70 w metal halide HQI = as bright as 280 w halogen light. LP-40PC-07M</p> <p>Prismatic polycarbonate shade 410mm, light-transparent with protection glass. Height 500mm. Low loss ballast and starter. Suitable for lamp HQI 70 Watt G12. With steel suspension cable 150cm IP20. Weight: 17 kg</p>
	Pendant light 40cm PC MH 150W	<p>Polycarbonate + metal case. Energy saving, 150 w metal halide HQI = as bright as 500 w halogen light. LP-40PC-15M</p> <p>Prismatic polycarbonate shade 400mm, light-transparent with a shield. Height 480mm. With suspension loop, ballast and starter. Suitable for lamp HQI-E 27 150 watts. IP20. Weight: 17 kg</p>
High Bay Lighting 40cm PC 2x 42W FL		<p>Polycarbonate + metal case. Energy saving, for 2 x compact fluorescent lamp TC-TEL 42W. LP-40PC-42F</p>
	Pendant Light 41cm Alu 150W MH	<p>High-Bay fixture with aluminium reflector 410mm. For metal halide lamp 150 watt. LP-41A-M15</p> <p>Professional version with high light output. Aluminium reflector 410mm, outside silver, inside polished. Light distribution very wide. Incl. ballast, starter + capacitor for HID lamp HQI 150W E27. The lamp has to be ordered extra. This lighting fixture is not dimmable. Starting after 30 seconds warm-up time. Very rigid aluminium die-cast body with wiring box and cable glands for connection of free cable length. With lifting eye for hanging up or for static wall / ceiling mount. Dimensions: Ø 415mm, height 465mm. High protection class, IP rating IP65. (without cover glass IP23)</p> <p>Optionally: Cover glass, protection grill, chain, wall-mount bracket. Special version: With additional lamp holder for instant-start or emergency lighting applications. Weight: 17 kg</p>
	Low-Bay Light 41cm PC MH 150W	<p>High-Bay fixture with polycarbonate reflector 410mm. For metal halide lamp 150 watt. LP-41PC-15H</p> <p>Acrylic prismatic reflector. Incl. control gear with ballast, starter + capacitor for HID lamp HQI 150W E27. Height 465mm, incl. cable gland and hook to hang up. High protection class, IP rating IP65. (without cover IP23) Optional: Cover / diffusor Weight: 17 kg</p>
Low-Bay Light 41cm PC MH 250W IP65		<p>High-Bay fixture with polycarbonate reflector 410mm. For metal halide lamp 250 watt. LP-41PC-25M</p>

Accessories for indoor lights



Protection cover for High-Bay 41cm PC
LP-41Z-01



Protection cover for High-Bay 41cm Glass
LP-41Z-02



Protection Grill f. High Bay 41
LP-41Z-03

Goniometric Bracket for High Bay 41
LP-41Z-05

High-Bay Fixtures 38 - 60cm



Pendant Light 42cm MH 150W IP65

Waterproof. Energy economizing, 150W metal halide = 550 watt halogen light.
LP-42AL-15E



Professional version with high light output.
Reflector outside silver, inside polished.
Incl. ballast, starter + capacitor for HID lamp HQI 150W E40.
Lamp has to be ordered separately.
Protection degree, IP rating IP65 (IP23 without cover lens).
Operation only with cover lens or with explosion protected light bulbs.
Dimensions: height 460mm, reflector diameter 430mm.
Optionally accessories:
Cover lens
Weight: 17 kg

Accessories for indoor lights



Protection cover for High-Bay 42cm Glass
LP-42Z-02



Protection cover for High-Bay 48cm Glass
LP-48Z2

High-Bay Fixtures 38 - 60cm



PC Pendant Light 50cm MH 250W E40

High-Bay fixture with polycarbonate reflector. For metal halide lamp 250 watt = as bright as 1100w halogen light.
LP-50PC-2



Acrylic Pendant Light 50cm MH 400W E40

Polycarbonate reflector 490mm light transparent.
Incl. Ballast, ignitor and capacitor compensation.
Suitable for metal halide lamp HQI-250W E40 (Please order separately).
Incl. cable gland for connecting any cable lengths and ceiling mounting.
Silver casing.
Overall height 560 mm
The lamp is not dimmable.
Protection: IP20 - suitable only for dry rooms.
Operation only with optional protection shield (splinter protection).
Weight: 7,1 kg

High-Bay fixture with polycarbonate reflector. For metal halide lamp 400 watt = as bright as 2000w halogen light
LP-50PC-4

Accessories for indoor lights



PC Protection cover for High-Bay 50cm
LP-50Z-02

High-Bay Fixtures 38 - 60cm

	High-Bay Fixture 50cm Alum, 2x 42W Fluorescent	<p>Pendant light with aluminium reflector 510mm. Also for emergency lighting by instant starting fluorescent lamps. LP-51AL-F08</p> <p>Aluminium reflector 500mm, outside silver, inside polished. Light distribution very wide (120°). Incl. ballast, starter + capacitor for 2 fluorescent lamps. The lamps 42W TC-TEL GX24-q4 have to be ordered extra. This lighting fixture is not dimmable. Immediate starting, for emergency lighting applications, too. Very rigid aluminium die-cast body with wiring box and cable glands for connection of free cable length. With lifting eye for hanging up or for static wall / ceiling mount. Dimensions: Ø 510mm, height 525mm. High protection class, IP rating IP65. (without cover glass IP23) Optionally: Cover glass, protection grill, chain, wall-mount bracket. Special version: Dimmable, with electronic ballast at 8 pcs. MOQ Weight: 17 kg</p>
	High-Bay Light 51cm Aluminium 250W HID	<p>High-Bay fixture with aluminium reflector 510mm. For metal halide lamp. LP-51AL-M25</p> <p>Aluminium reflector 500mm, outside silver, inside polished. Light distribution very wide (98°). Incl. control gear, starter + capacitor for HID lamp HQI 250W E40. The lamp has to be ordered extra. This lighting fixture is not dimmable. Starting after 30 seconds warm-up time. Very rigid aluminium die-cast body with wiring box and cable glands for connection of free cable length. With lifting eye for hanging up or for static wall / ceiling mount. Dimensions: Ø 510mm, height 525mm. High protection class, IP rating IP65. (without cover glass IP23)</p> <p>Optionally: Cover glass, protection grill, chain, wall-mount bracket. Special version: With additional lamp holder for instant-start or emergency lighting applications. Weight: 17 kg</p>
	High-Bay Fixture 51cm Aluminium 400W MH	<p>Pendant light with aluminium reflector 510mm. For metal halide lamp 400 watt. LP-51AL-M40</p>
	High-Bay Fixture 51cm PC, 250W MH	<p>Pendant light with polycarbonate reflector 510mm. For metal halide lamp 250 watt. LP-51PC-25H</p> <p>Acrylic prismatic reflector. Incl. ballast, starter + capacitor for HID lamp HQI 250W E40. Height 575mm, incl. cable gland and hook to hang up. High protection class, IP rating IP65. (without cover IP23) Optional: Cover / diffuser Weight: 17 kg</p>
	High-Bay Fixture 51cm PC, 400W MH	<p>Pendant light with polycarbonate reflector 510mm. For metal halide lamp 250 watt. LP-51PC-40M</p>

Accessories for indoor lights



Protection cover for High-Bay 51cm Acrylic
LP-51Z-01



Protection cover for High-Bay 51cm Glass
LP-51Z-02



Protection Grill f. High Bay 51cm
LP-51Z-03

High-Bay Fixtures 38 - 60cm



High-Bay Light Fixture 50cm Alum 250W / 400W MH



Pendant light with aluminium reflector 500mm.
LP-52AL-M

Industrial luminary with high light output.
Reflector outside silver, inside polished. Light distribution very wide (120°).
Incl. ballast, starter + capacitor for HID lamp HQI 250W or 400W E40.
Protection degree IP55 with cover lens (IP 20 without lens)
Height 575mm, Ø 490mm.
Incl. cable gland and hook to hang down.
Optionally accessories:
Cover lens
Protection grill (ball-through protected).
Weight: 17 kg

Accessories for indoor lights



Protection cover for High-Bay 52 Glass
LP-52Z-02

High-Bay Fixtures 38 - 60cm



High-Bay Fixture L95 Alum 250W / 400W MH



Pendant light with aluminium reflector 500mm.
LP-53AL-M

Industrial version with high light output.
Reflector outside silver, inside polished. Light distribution very wide (120°).
Incl. ballast, starter + capacitor for HID lamp HQI 150w, 250W or 400W E40.
Protection degree IP55 with cover lens (IP 20 without lens)
Height 575mm, Ø 490mm.
Incl. cable gland and hook to hang down.
Optionally accessories:
Cover lens
Protection grill (ball-through protected).
Weight: 17 kg

Accessories for indoor lights



Protection cover for High-Bay L95, Glass
LP-53Z-02

High-Bay Fixtures 38 - 60cm



High Bay Light Fixture 55cm Alu MH 400W



solid and powerful pendant-fixture with aluminium-reflector. Energy-saving, 400W metal-halide equals 2000W halogen-light.
LP-55AL-M40

aluminium-reflector 550mm
very broad-spreaded light distribution (120°)
incl. ballast for metal-halide lamp HQI-E 400W E40
please order the lamp separately
this fixture is not dimmable
usage only with optional protection-glass or lamp with explode-protection
incl. cable connection (individual cable length and ceiling-fixtures can be attached)
protection class: IP65 with protection-glass, IP23 without glass
height: 560mm, diameter: 545mm

optional accessoires:
protection glass
protection grid (ball-throwing protected)
Weight: 17 kg

Accessories for indoor lights



Protection Grid f. High Bay 60
LP-55Z-03



Protection cover for High-Bay 55cm Glass
LP-55Z01

High-Bay Fixtures 38 - 60cm



LED High Bay Light 50W IP65



Waterproof aluminium pendant reflector lamp. 50W LED = 500 watt halogen light. Energy economizing.
LP-56-05

Professional pendant lamp with a very high light intensity. Energy saving replacement for high bay fixtures with 125W HQL lamp.
Aluminum Reflector 51cm
Incl. power LED lamp 50 watt
Light color 4000K neutral white
Luminous flux 5000 Lm
Light distribution 90° (from 40 pcs available with 60° or 120°)
Light intensity 220 Lux / 6m height (135 lux / 8m)
At power on the light has the full brightness immediately - no waiting period. The price already includes power LED and driver. Only power cord and chain can be ordered as needed.
The lamp is not dimmable.
The light is splash-proof and can even be used outside.
Operating voltage: 110V - 240V 50-60Hz
Incl. Cable gland for connecting any cable lengths and ceiling mounting.
Protection degree: IP rating IP65
Dimensions: Reflector diameter 510mm, height 380mm.
Weight: 5,4 kg

LED High Bay Light 120W IP65

Waterproof aluminium pendant reflector lamp. 120W LED = 1000 watt halogen light. Energy economizing.
LP-56-12

LED High Bay Light 150W IP65

Waterproof aluminium pendant reflector lamp. 150W LED = 1500 watt halogen light. Energy economizing.
LP-56-15

LED High Bay Light 200W IP65

Waterproof aluminium pendant reflector lamp. 200W LED = 2000 watt halogen light. Energy economizing.
LP-56-20

Accessories for indoor lights

Emergency Light Accessory für High-Bay 57cm Alu 400W
LP-60ALZ05

Low Bay Fixtures 20 - 35cm













Pendant Light Bistro-Trendy 30cm Colour





With coloured prismatic acrylic diffusor. For lamp E27 max 150 w.
LP-B30-27B

With canopy and enclosure made of PVC
With transparent-coloured screen in red, yellow, green or blue.
Suitable for lamps up to E27 150W. (Energy saving lamps or LEDs are highly recommended).
For installation in dry rooms, IP20,
With subtle, light gray textile cable, about 1.5 m.
Diameter 315mm, height 270mm.
Weight: 2 kg

	<p>Pendant Light Bistro-Trendy 30cm Prisma</p>	<p>With blind-free prismatic acrylic diffusor. For lamp E27 max 150 w. LP-B30-27C</p>
		<p>The acrylic reflector has a reflective coating to prevent glare side. Suitable for lamps up to E27. 150W. (Normal household bulbs or energy saving lamps are highly recommended). For installation in dry rooms, IP20, With subtle, light gray textile cable, about 1.5 m. With a canopy of silver PVC. Housing made of aluminum, silver. Reflector diameter 315mm, height 270mm Weight: 2 kg</p>
	<p>Pendant Light Bistro 30cm Fluorescent</p>	<p>With acrylic diffusor. For 2x compact fluorescent lamp 26w. LP-B30-Fluo</p>
		<p>With canopy and enclosure made of silver PVC. Built-in low-loss ballast. For G24d-3 26W lamps Please order lamp separately. IP20 for dry areas. Reflector diameter 315mm, height 420mm, pending height max. 2.4 m. Weight: 4,5 kg</p>
	<p>Pendant Reflector Light Bistro Alu 30cm E27</p>	<p>With aluminium reflector 315mm. For lamp E27 max. 150W. LP-B31-27</p>
		<p>Reflector outside matte silver, inside polished Height 300mm, including 150 cm cable and ceiling mount. Operating voltage 110 - 240V Maximum lamp power 150 W Weight: 0,88 kg</p>
	<p>Pendant Light Alu Bistro 34cm MH 70W</p>	<p>Energy saving lamp with aluminium reflector and glass for metal halide lamp 70 watt G12. LP-B34-07</p>
		<p>Outer reflector consisting of an aluminium ring and satinized glass. Decorative, small inner aluminium reflector. With ballast for metal halide lamp G12 70W. (Please order lamp separately) The brightness corresponds to about 300 watt halogen light. Long lamp life, 10000 hrs Housing Aluminium silver gray. With suspension and up to 3m ceiling canopy. Diameter 350mm, height 550mm. IP20. Weight: 6,6 kg</p>
	<p>Pendant Light Bistro 33cm 42W Fluorescent</p>	<p>Energy saving and decorative lamp with acrylic reflector and ballast. LP-B35-04</p>
		<p>Prismatic reflector 330mm PMMA. Decorative trim ring made of aluminum. With electronic ballast for compact fluorescent lamp 42W GX24-q4 (on special order 70W HQI). This lamp is not dimmable (on special request we can deliver the light with a dimmable ballast). (Please order lamp separately) The brightness corresponds to about 200 watt halogen light. Long lamp life, 10000 hrs Housing Aluminium silver gray. With suspension and 150cm ceiling canopy. Diameter 330mm, height 400mm. IP20. Weight: 2,5 kg</p>

	<p>Pendant Light Bistro 33cm MH 70W</p>	<p>Energy saving and decorative lamp with acrylic reflector and ballast. LP-B35-07</p> <p>Transparent reflector 330mm PMMA. Decorative trim ring made of aluminum. With ballast for metal halide lamp G12 70W HQI. This lamp is not dimmable. (Please order lamp separately) The brightness corresponds to about 250 watt halogen light. Long lamp life, 10000 hrs Housing Aluminium silver gray. With suspension and 150cm ceiling canopy. Diameter 330mm, height 400mm. IP20. Weight: 3,8 kg</p>
	<p>Pendant Light Bistro 42cm 42W Fluorescent</p>	<p>Energy saving and decorative lamp with acrylic reflector and ballast. LP-B40-04</p> <p>Umbrella Reflector 420mm PMMA. Decorative trim ring made of aluminum. Ballast with electronic ballast for compact fluorescent lamp 42W GX24-q4 (on special order 70W HQI). This lamp is not dimmable (on special request we can deliver the light with a dimmable ballast). (Please order lamp separately) The brightness corresponds to about 200 watt halogen light. Long lamp life, 10000 hrs Housing Aluminium Silver gray. With suspension and up to 1.5m ceiling canopy. Diameter 420mm, height 530mm. IP20. Weight: 2,8 kg</p>

High-Bay Fixtures 38 - 60cm

	<p>Pendant Light Bistro 40 HID-150W</p>	<p>With acrylic reflector and ballast for energy saving metal halide 150 watt lamp. LP-B40-15</p> <p>Acrylic reflector light transparent 41cm. With ballast for metal halide lamp E27 150W. (Please order lamp separately) The brightness corresponds to about 550 watt halogen light. Aluminum-gray housing. With suspension and up to 3m ceiling canopy. Diameter 410mm, height 350mm. IP20. Since the screen is open at the bottom, bulbs must be used with splinter protection or a protective screen. Weight: kg</p>
	<p>Pendant Light Bistro 40cm E</p>	<p>With acrylic reflector and E27 lamp holder. LP-B40-E</p> <p>Acrylic reflector light transparent 42cm. Suitable for lamp 160W E27 MLR or energy saving lamp. (Please order lamp separately) With hanging rope 150cm and ceiling canopy. Aluminum-gray housing. Lamp flame resistant to 650 ° C. IP23, diameter 420mm, height 400mm. Weight: 4,6 kg</p>



Pendant Light Vogue RP 41cm MH-70 / 150W



Suspension fitting with aluminium reflector. Powerful, for energy economizing metal halide lamp 70W or 150W.
LP-V40R150

Body in aluminium sheet painted in RAL 9075 grey colour
Suspension by means of 1,5 m. of steel cable with safety fixing devices
Polycarbonate ceiling rose with electric cable
Structurized reflector with 415 mm diameter in pure aluminium 99,8, polished and anodised
With porcelain lamp holder E27, G12, GX12 or thermoplastic GX24q-3/4/5/6 lampholders
Insulation class I
Versions for metal halide discharge lamps up to 150W, Mini White SON lamps up to 100W and compact fluorescent lamps up to 70W
Weight: 4,65 kg



Pendant Light Vogue GTA-TI 41cm MH-150W



Suspension fixture with acrylic reflector. Powerful, for energy economizing metal halide lamp 150W.
LP-V40R151

Body in aluminium sheet painted in RAL 9075 grey colour
Suspension by means of 1,5 m. of steel cable with safety fixing devices
Polycarbonate ceiling rose with electric cable
Acrylic prismatic reflector with 415 mm diameter and anti-glare coating
With porcelain lamp holder E27, G12, GX12 or thermoplastic GX24q-3/4/5/6 lampholders
Insulation class I
Versions for metal halide discharge lamps up to 150W, Mini White SON lamps up to 100W and compact fluorescent lamps up to 70W
Weight: 4,65 kg

Accessories for indoor lights



Protection cover for Vogue 41cm Glass
LP-V40Z1

Emergency Light Option for High Bay Light
LP-ZNOT